





INSTITUTO
DE TECNOLOGIA
QUÍMICA E BIOLÓGICA
/UNL

Knowledge Creation



Afonso M.S. Duarte

ITQB-UNL, Portugal

Laboratory of Biological Energy Transduction

(http://www.itqb.unl.pt/labs/biological-energy-transduction)

EGI Champion

(http://www.egi.eu/community/egi_champions/Afonso_Duarte.html)







Structural Biology in the Grid a case study


The importance of molecular modeling applications

The role of the Grid

Some examples

Proteins are biomolecules that play key functions in living cells

Proteins consist of one or more chains of amino acid residues connected in a linear fashion.




These chains can then fold and form different 3D structures.

Proteins perform an array of functions within living organisms, and are center to almost all processes in life

In Nature there are 20 different amino acids that buld-up proteins (http://www.bmrb.wisc.edu/referenc/commonaa.php)

These have different chemical properties that allow the build up of proteins with different 3D structures and functions in cells

20 amino acids can be combined into proteins with different sizes, shapes and functions



Protein Structure

Protein structures are determined by techniques
 that provide atomic resolution (i.e. where atoms are
 individually detected and a three-dimensional model can be constructed resolution below 4 Å)

- X-Ray Crystallography
- Nuclear Magnetic Resonance (NMR)Spectroscopy










20 Å

Complex I from the respiratory chain

The PDB format

Record type



Protein dynamics


"what allows proteins to work"

Dynamics are key for protein function

They allow structural changes fundamental for:


- Protein-protein interactions
- Protein-drug interaction
- Activation of enzymatic activity

— ...



Protein – Protein interactions

"The way proteins comunicate between them"



Key for protein regulation in cells:

- Activation
- Inhibition
- Intermediary step in cellular processes
- ...

Binding interface (i.e. binding hotspot)

Interaction between Hsp90 and Aha1 proteins.

Molecular machine involved in the cell quality control process (Hsp90) and its regulator (Aha1)

Experimental techniques

NMR spectroscopy and X-Ray crystallography provide atomic level resolution information on the different steps of protein dynamics and protein-protein interactions


From these one obtains:

Structural constrains (e.g. distances, angles)
Snapshots of different steps of the process

Computational methods


To obtain a picture of the process (protein dynamics and protein-protein interactions) one uses these constrains as input for the computation of protein models that represent the process under study

information
(e.g. distances between atoms, protein – protein interaction, angles between different amino acid residues)



Representation of the process at atomic level

Why Grid Computing?



The Virtual Organization WeNMR

"WeNMR is currently the largest Virtual Organization (VO) in life sciences. With its large and worldwide user community, WeNMR has become the first Virtual Research Community officially recognized by the European Grid Infrastructure (EGI)."

http://www.wenmr.eu/wenmr/



Tsjerk A. Wassenaar et. al. WeNMR: Structural Biology on the Grid Journal of Grid Computing 2012, 10, 4, 743-767

The Virtual Organization WeNMR

"The WeNMR project is a European Union funded international effort to **streamline** and **automate** analysis of Nuclear Magnetic Resonance (NMR) and Small Angle X-Ray scattering (SAXS) imaging data for atomic and near-atomic resolution molecular structures. "

"To facilitate the use of NMR spectroscopy and SAXS in life sciences the WeNMR consortium has **established standard computational workflows and services** through **easy-to-use web interfaces**, while still retaining sufficient flexibility to handle more specific requests. "

The Virtual Organization WeNMR


Gaining access to the Grid and to the VO

http://www.wenmr.eu/wenmr/

HADDOCK


High Ambiguity Driven biomolecular DOCKing

based on biochemical and/or biophysical information.



http://www.nmr.chem.uu.nl/haddock/ http://haddock.science.uu.nl/

Protein – Protein interactions **HADDOCK in the Grid**




Protein – Protein interactions **HADDOCK in the Grid**

From X-Ray crystallography and/or NMR 3D representation of protein and constrains AIR Distance Dihedral HBonds RDC Log file **3D** representation Output of protein-protein interactions Start Docking Data analysis **Quality parameters**

http://haddock.chem.uu.nl/enmr/haddock-tutorial.php

Demo


Protein – Protein interactions HADDOCK in the Grid



Protein – Protein interactions


GROMACS

"perform molecular dynamics, i.e. simulate the Newtonian equations of motion for systems with hundreds to millions of particles."





http://www.gromacs.org/

Protein dynamics **GROMACS** in the Grid




Protein dynamics **GROMACS** in the Grid






Protein dynamics **GROMACS** in the Grid



Demo


Two examples of the use of Grid application in Structural Biology



Protein – Protein interactions

Protein dynamics

More Examples/Application in Structural Biology and other fields



http://appdb.egi.eu/

https://www.egi.eu/case-studies/index.html



The EGI Champions

EGI Champions are enthusiastic scientists using grid computing for their research and keen to go to conferences and spread the word about the benefits of working with EGI.



Welcoming new users to the grid

Bridge users and developers

https://wiki.egi.eu/wiki/Champions http://www.egi.eu/community/egi_champions/champions_network.html